

Coding Companion

# Oncology/ Hematology

A comprehensive illustrated guide to coding and reimbursement

2017

#### **ICD-10**

A full suite of resources including the latest code set, mapping products, and expert training to help you make a smooth transition. www.optumcoding.com/ICD10

## Contents

| Getting Started with Coding Companion | i   |
|---------------------------------------|-----|
| General/Integumentary                 | 1   |
| Musculoskeletal                       | 57  |
| Respiratory                           | 134 |
| Cardiovascular                        | 167 |
| Hemic/Lymphatic                       | 194 |
| Mediastinum                           | 233 |
| Digestive                             | 238 |
| Urinary                               |     |
| Male Genital                          |     |
| Reproductive                          |     |


| Female Genital                        | 380 |
|---------------------------------------|-----|
| Endocrine                             | 422 |
| Nervous                               | 427 |
| Radiation Oncology                    | 432 |
| Nuclear Medicine                      | 471 |
| Chemotherapy                          | 474 |
| HCPCS                                 | 483 |
| Appendix                              | 493 |
| Correct Coding Initiative Update 21.3 | 533 |
| Evaluation and Management Codes       | 553 |
| Index                                 | 573 |
|                                       |     |

### 36522

#### **36522** Photopheresis, extracorporeal

Select major arteries of the arm

C84.18



Code 36522 reports a bypass from the axillary artery to the brachial artery

#### Explanation

The physician draws a patient's blood and exposes the blood to light to eliminate destructive elements. The physician establishes venous access or attaches the machine to an existing central venous catheter line. The blood is removed and cycled through the pheresis machine where it is exposed to therapeutic wavelengths of light. The conditioned blood is returned to the patient through a catheter and a needle inserted in the vein.

#### **Coding Tips**

For therapeutic apheresis for plasma pheresis, see 36514. For therapeutic apheresis with extracorporeal immunoadsorption and plasma reinfusion, see 36515. For therapeutic apheresis with extracorporeal selective absorption or selective filtration and plasma reinfusion, see 36516.

#### ICD-10-CM Diagnostic Codes

|        | -  |
|--------|--|
| C84.01 | Mycosis fungoides, lymph nodes of head, face, and neck           |
| C84.02 | Mycosis fungoides, intrathoracic lymph nodes                     |
| C84.03 | Mycosis fungoides, intra-abdominal lymph nodes                   |
| C84.04 | Mycosis fungoides, lymph nodes of axilla and upper limb          |
| C84.05 | Mycosis fungoides, lymph nodes of inguinal region and lower limb |
| C84.06 | Mycosis fungoides, intrapelvic lymph nodes                       |
| C84.07 | Mycosis fungoides, spleen  |
| C84.08 | Mycosis fungoides, lymph nodes of multiple sites                 |
| C84.09 | Mycosis fungoides, extranodal and solid organ sites              |
| C84.11 | Sezary disease, lymph nodes of head, face, and neck              |
| C84.12 | Sezary disease, intrathoracic lymph nodes                        |
| C84.13 | Sezary disease, intra-abdominal lymph nodes                      |
| C84.14 | Sezary disease, lymph nodes of axilla and upper limb             |
| C84.15 | Sezary disease, lymph nodes of inguinal region and lower limb    |
| C84.16 | Sezary disease, intrapelvic lymph nodes                          |
| C84.17 | Sezary disease, spleen   |
|        |  |

|              | C84.19 | Sezary disease, extranodal and solid organ sites  |
|--------------|--------|---|
|              | C84.41 | Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck           |
|              | C84.42 | Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes                     |
|              | C84.43 | Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes                   |
|              | C84.44 | Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb          |
|              | C84.45 | Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb |
|              | C84.46 | Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes                       |
|              | C84.47 | Peripheral T-cell lymphoma, not classified, spleen  |
|              | C84.48 | Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites                 |
|              | C84.49 | Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites              |
|              | C84.91 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck              |
|              | C84.92 | Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes                        |
|              | C84.93 | Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes                      |
|              | C84.94 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb             |
| r<br>d<br>to | C84.95 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb    |
| ê<br>Î       | C84.96 | Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes                          |
|              | C84.97 | Mature T/NK-cell lymphomas, unspecified, spleen   |
|              | C84.98 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites                    |
| ee<br>or     | C84.99 | Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites                 |
|              | C84.A0 | Cutaneous T-cell lymphoma, unspecified, unspecified site                                  |
|              | C84.A1 | Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck                |
|              | C84.A2 | Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes                         |
|              | C84.A3 | Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes                       |
| er           | C84.A4 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb              |
|              | C84.A5 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb     |
|              | C84.A6 | Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes                           |
|              | C84.A7 | Cutaneous T-cell lymphoma, unspecified, spleen  |
|              | C84.A8 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of<br>multiple sites                  |
|              | C84.A9 | Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites                  |
| ۱b           | C84.Z0 | Other mature T/NK-cell lymphomas, unspecified site  |
|              |        |   |

Sezary disease, lymph nodes of multiple sites

CPT © 2016 American Medical Association. All Rights Reserved. Coding Companion for Oncology/Hematology

| C84.Z1 | Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck                        |
|--------|--|
| C84.Z2 | Other mature T/NK-cell lymphomas, intrathoracic lymph nodes                                  |
| C84.Z3 | Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes                                |
| C84.Z4 | Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb                       |
| C84.Z5 | Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb              |
| C84.Z6 | Other mature T/NK-cell lymphomas, intrapelvic lymph nodes                                    |
| C84.Z7 | Other mature T/NK-cell lymphomas, spleen   |
| C84.Z8 | Other mature T/NK-cell lymphomas, lymph nodes of multiple sites                              |
| C84.Z9 | Other mature T/NK-cell lymphomas, extranodal and solid organ sites                           |
| C85.80 | Other specified types of non-Hodgkin lymphoma, unspecified site                              |
| C85.81 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C85.82 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C85.83 | Other specified types of non-Hodgkin lymphoma,<br>intra-abdominal lymph nodes                |
| C85.84 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen  |
| C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites              |
| C85.91 | Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck                       |
| C85.92 | Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes                                 |
| C85.93 | Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes                               |
| C85.94 | Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb                      |
| C85.95 | Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb             |
| C85.96 | Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes                                   |
| C85.97 | Non-Hodgkin lymphoma, unspecified, spleen  |
| C85.98 | Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites                             |
| C85.99 | Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites                          |
| C86.0  | Extranodal NK/T-cell lymphoma, nasal type  |
| C86.1  | Hepatosplenic T-cell lymphoma  |
| C86.2  | Enteropathy-type (intestinal) T-cell lymphoma  |
| C86.3  | Subcutaneous panniculitis-like T-cell lymphoma   |
| C86.4  | Blastic NK-cell lymphoma   |

#### **HCPCS Equivalent Codes**

N/A

#### **Terms To Know**

**catheter.** Flexible tube inserted into an area of the body for introducing or withdrawing fluid.

extracorporeal. Located or taking place outside the body.

**implantable venous access device.** Catheter implanted for continuous access to the venous system for long-term parenteral feeding or for the administration of fluids or medications.

#### **Medicare Edits**


\_

|       | Fac RVU | Non-Fac RVU FUD |   | Status | MUE  |
|-------|---------|-----------------|---|--------|------|
| 36522 | 2.93    | 39.73           | 0 | А      | 1(3) |

|           |          | Modifiers |     | >   | Medicare Reference         |
|-----------|----------|-----------|-----|-----|----------------------------|
| 36522     | 51       | N/A       | N/A | N/A | 100-3,110.4; 100-4,4,231.9 |
| * with do | ocumenta | ation     |     |     |                            |

## 47370-47371

- **47370** Laparoscopy, surgical, ablation of 1 or more liver tumor(s); radiofrequency
- 47371 cryosurgical



#### Explanation

The physician places a laparoscope via a small periumbilical port or through a small incision in the right upper guadrant, and an additional port is placed in the right upper quadrant under direct vision. Adhesions are lysed and ligamentous attachments divided to mobilize the liver. The physician examines all the parietal and visceral peritoneal surfaces, the lesser sac, the omentum, and the viscera. The gastrohepatic omentum is opened for inspection of the caudate lobe, followed by sequential laparoscopic ultrasonographic examination of all eight liver segments using an ultrasonic probe. Radiofrequency ablation is performed using a 15-gauge needle with a retractable curved electrode placed percutaneously into the abdomen at the place overlying the area of interest under direct vision. The needle is directed into the center of the lesion under real-time ultrasound guidance, tines are deployed and alternating current is delivered to ablate the tumor. Upon completion of ablation, the probe tract is cauterized and the needle withdrawn. Report 47371 if ablation is accomplished using a cool-tipped multiple probe electrode.

#### **Coding Tips**

These codes include the ablation of multiple tumors. Do not report ablation more than once during a surgical session unless a different method of ablation (e.g., cryosurgical and radiofrequency) is performed. For imaging guidance, see 76940. For open ablation of one or more liver tumors, see 47380–47381. If significant additional time and effort is documented, append modifier 22 and submit a cover letter and operative report.

#### ICD-10-CM Diagnostic Codes

| C22.0 | Liver cell carcinoma             |
|-------|----------------------------------|
| C22.1 | Intrahepatic bile duct carcinoma |
| C22.2 | Hepatoblastoma                   |
| C22.3 | Angiosarcoma of liver            |
| C22.4 | Other sarcomas of liver          |

- C22.7 Other specified carcinomas of liver
- C22.8 Malignant neoplasm of liver, primary, unspecified as to type
- C22.9 Malignant neoplasm of liver, not specified as primary or secondary
- C78.7 Secondary malignant neoplasm of liver and intrahepatic bile duct
- C7A.1 Malignant poorly differentiated neuroendocrine tumors
- C7A.8 Other malignant neuroendocrine tumors
- C7B.02 Secondary carcinoid tumors of liver
- C7B.8 Other secondary neuroendocrine tumors
- D01.5 Carcinoma in situ of liver, gallbladder and bile ducts
- D13.4 Benign neoplasm of liver
- D13.5 Benign neoplasm of extrahepatic bile ducts
- D37.6 Neoplasm of uncertain behavior of liver, gallbladder and bile ducts
- D3A.8 Other benign neuroendocrine tumors
- D49.0 Neoplasm of unspecified behavior of digestive system
- K76.89 Other specified diseases of liver
- K76.9 Liver disease, unspecified

#### **HCPCS Equivalent Codes**

N/A

#### **Terms To Know**

**ablation.** Removal or destruction of tissue by cutting, electrical energy, chemical substances, or excessive heat application.

adhesion. Abnormal fibrous connection between two structures, soft tissue or bony structures, that may occur as the result of surgery, infection, or trauma.

**carcinoma in situ.** Malignancy that arises from the cells of the vessel, gland, or organ of origin that remains confined to that site or has not invaded neighboring tissue.

**lesion.** Area of damaged tissue that has lost continuity or function, due to disease or trauma.

**omentum.** Fold of peritoneal tissue suspended between the stomach and neighboring visceral organs of the abdominal cavity.

**viscera.** Large interior organs enclosed within a cavity, generally referring to the abdominal organs.

#### **Medicare Edits**

|       | Fac RVU | Non-Fac RVU | FUD | Status | MUE  |
|-------|---------|-------------|-----|--------|------|
| 47370 | 36.24   | 36.24       | 90  | A      | 1(2) |
| 47371 | 32.67   | 32.67       | 90  | A      | 1(2) |

|           | Modifiers            |     |     |    | Medicare Reference |
|-----------|----------------------|-----|-----|----|--------------------|
| 47370     | 51                   | N/A | 62* | 80 | None               |
| 47371     | 51                   | N/A | 62* | 80 |                    |
| * with de | * with documentation |     |     |    |                    |

CPT © 2016 American Medical Association. All Rights Reserved. Coding Companion for Oncology/Hematology