

# ICD-10-CM

## Expert for Skilled Nursing Facilities, Inpatient Rehabilitation Services, and Inpatient Hospice

**The Complete Official Code Set** 



## Contents

Preface	iii
	<b>v</b>
Facilities, Inp	CD-10-CM Expert for Skilled Nursing atient Rehabilitation Services, and spice 2016vi
	rrect Codingvi
Organizatio	nvi
	CD-10-CM Official Conventionsviii
	viii
	nsviii
	tes
General No	VIII
	Characters Requiredx
Italics	X
Color Codin	gx
Medicare Co	ode Editsx
Other Notat	ions in the Tabularx
Other Notat	ions in the Alphabetic Indexesxii
	ficial Guidelines for Coding
and Reportin	gCoding Guidelines-1
ICD-10-CM In	dex to Diseases and Injuries1
ICD-10-CM Ne	eoplasm Table
ICD-10-CM Ta	ble of Drugs and Chemicals
ICD-10-CM In	dex to External Causes
ICD-10-CM Ta	bular List of Diseases and Injuries
Chapter 1	Certain Infectious and Parasitic Diseases (AØØ-B99)
Chapter 2	Neoplasms (CØØ-D49) 445
Chapter 3	Diseases of the Blood and Blood-forming Organs and Certain Disorders Involving the Immune Mechanism (D50-D89)479
Chapter 4	Endocrine, Nutritional and Metabolic Diseases (EØØ-E89)
Chapter 5	Mental, Behavioral, and Neurodevelopmental Disorders (FØ1-F99)505
Chapter 6	Diseases of the Nervous System (GØØ-G99) 524
Chapter 7	Diseases of the Eye and Adnexa (HØØ-H59)542
Chapter 8	Diseases of the Ear and Mastoid Process (H6Ø-H95)

	Chapter 9	Diseases of the Circulatory System (IØØ-I	99)586
	Chapter 10	Diseases of the Respiratory System (JØØ-	J99)623
	Chapter 11	Diseases of the Digestive System (KØØ-K	95)637
	Chapter 12	Diseases of the Skin and Subcutaneous (LØØ-L99)	
	Chapter 13	Diseases of the Musculoskeletal System Connective Tissue (MØØ-M99)	
	Chapter 14	Diseases of the Genitourinary System (N	ØØ-N99)757
	Chapter 15	Pregnancy, Childbirth and the Puerperiu (OØØ-O9A)	
	Chapter 16	Certain Conditions Originating in the Pe Period (PØØ-P96)	
	Chapter 17	Congenital Malformations, Deformation Chromosomal Abnormalities (QØØ-Q99)	
	Chapter 18	Symptoms, Signs and Abnormal Clinical Laboratory Findings (RØØ-R99)	
	Chapter 19	Injury, Poisoning and Certain Other Consol of External Causes (SØØ-T88)	
	Chapter 20	External Causes of Morbidity (VØØ-Y99)	1049
	Chapter 21	Factors Influencing Health Status and Co Health Services (ZØØ-Z99)	
Ap	-		•
		: Valid Three-Digit ICD-10-CM Codes	
		: Pharmacology List 2016	
		: Z Codes for Long-Term Drug Use with Associated DrugsA	
	Appendix E	: Z Code Only as Principal Diagnosis A	
	Appendix F	: Hospice Criteria for Medicare Coverage of Noncancer Hospice Care	ppendixes–15
	Appendix G	: Hospice Diagnosis and Quality Reportin Guidance A	-
	Appendix H	: Skilled Nursing Facility Resource Utilizat Groups (RUG-IV) Classification SystemA	
	Appendix I:	Skilled Nursing Facility Active Diagnosis List A	
	Appendix J:	Coding Issues for Long-Term Care (LTC)A	ppendixes-38
	Appendix K	: Inpatient Rehabilitation Facility Prospec Payment System (PPS) Overview A	
	Appendix L	: Rehabilitation Impairment Categories (RIC)A	ppendixes–48
	Appendix N	1: RIC Comorbid Conditions A	ppendixes–50
Illu		III	
		Vervous System	
		/es	
	Еуе		Illustrations-3

Sequelae — continued stroke — continued dysarthria 169.322 dysphagia 169.391 dysphasia 169.321 facial droop 169.392 facial weakness 169.392 hemiplegia 169.35- 🗹 language deficit NEC 169.328 monoplegia lower limb 169.34upper limb 169.33- 🗹 paralytic syndrome 169.36specified effect NEC 169.398 speech deficit NEC 169.328 tendon and muscle injury — code to injury with seventh character S thiamine deficiency E64.8 trachoma B94.Ø tuberculosis B9Ø.9 bones and joints B90.2 central nervous system B90.0 genitourinary B90.1 pulmonary (respiratory) B9Ø.9 specified organs NEC B90.8 viral encephalitis B94.1 hepatitis B94.2 vitamin deficiency NEC E64.8 A E64.1 B E64.8 C E64.2 wound, open — *code to* injury with seventh character Sequestration (see also Sequestrum) lung, congenital Q33.2 Sequestrum bone — see Osteomyelitis, chronic dental M27.2 jaw bone M27.2 orbit — see Osteomyelitis, orbit sinus (accessory) (nasal) — see Sinusitis Sequoiosis lung or pneumonitis J67.8 Serology for syphilis doubtful with signs or symptoms — code by site and stage under Syphilis follow-up of latent syphilis — see Syphilis, latent negative, with signs or symptoms — code by site and stage under Syphilis positive A53.Ø with signs or symptoms — code by site and stage under Syphilis reactivated A53.Ø Seroma (see also Hematoma) traumatic, secondary and recurrent T79.2 🗹 **Seropurulent** — see condition Serositis, multiple K65.8 pericardial I31.1 peritoneal K65.8 Serous — see condition Sertoli cell adenoma specified site — see Neoplasm, benign, by site unspecified site female D27.9 male D29.20 carcinoma specified site — see Neoplasm, malignant, by site unspecified site (male) C62.9female C56.9 tumor with lipid storage specified site — *see* Neoplasm, benign, by site unspecified site female D27.9 male D29.20 specified site — see Neoplasm, benign, by site unspecified site female D27.9 male D29.20 Sertoli-Leydig cell tumor — see Neoplasm, benign, by site specified site — *see* Neoplasm, benign, by site unspecified site female D27.9 male D29.20

Serum allergy, allergic reaction (see also Reaction, serum) T8Ø.69 🗹 shock (see also Shock, anaphylactic) T8Ø.59 ☑ arthritis (see also Reaction, serum) T8Ø.69 🗹 complication or reaction NEC (see also Reaction, serum) T8Ø.69 🔽 disease NEC (*see also* Reaction, serum) T8Ø.69 🗹 hepatitis (see also Hepatitis, viral, type B) carrier (suspected) of Z22.51 intoxication (*see also* Reaction, serum) T8Ø.69 🗹 neuritis (*see also* Reaction, serum) T80.69 🗹 neuropathy G61.1 poisoning NEC (see also Reaction, serum) T80.69 🗹 rash NEC (*see also* Reaction, serum) T8Ø.69 🗹 reaction NEC (*see also* Reaction, serum) T80.69 🗹 sickness NEC (*see also* Reaction, serum) T8Ø.69 🗹 urticaria (*see also* Reaction, serum) T8Ø.69 🗹 Sesamoiditis M25.8-Severe sepsis R65.20 with septic shock R65.21 Sever's disease or osteochondrosis - see Osteochondrosis, juvenile, tarsus Sex chromosome mosaics Q97.8 lines with various numbers of X chromosomes 097.2 education Z7Ø.8 reassignment surgery status Z87.890 Sextuplet pregnancy — see Pregnancy, sextuplet Sexual function, disorder of (psychogenic) F52.9 immaturity (female) (male) E3Ø.Ø impotence (psychogenic) organic origin NEC — see Dysfunction, sexual, male precocity (constitutional) (cryptogenic)(female) (idiopathic) (male) E30.1 Sexuality, pathologic — see Deviation, sexual Sézary disease C84.1- 🗹 Shadow, lung R91.8 Shaking palsy or paralysis — see Parkinsonism Shallowness, acetabulum — see Derangement, joint, specified type NEC, hip Shaver's disease J63.1 Sheath (tendon) — see condition Sheathing, retinal vessels H35.01-Shedding nail L6Ø.8 premature, primary (deciduous) teeth KØØ.6 Sheehan's disease or syndrome E23.Ø Shelf, rectal K62.89 Shell teeth KØØ.5 Shellshock (current) F43.Ø lasting state — see Disorder, post-traumatic stress Shield kidney Q63.1 Shift auditory threshold (temporary) H93.24- 🗹 mediastinal R93.8 Shifting sleep-work schedule (affecting sleep) G47.26 Shiga (-Kruse) dysentery AØ3.Ø Shiga's bacillus AØ3.Ø Shigella (dysentery) — see Dysentery, bacillary Shigellosis AØ3.9 Group A AØ3.Ø Group B AØ3.1 Group C AØ3.2 Group D AØ3.3 Shin splints S86.89- 🗹 Shingles -– see Herpes, zoster Shipyard disease or eye B30.0 Shirodkar suture, in pregnancy — see Pregnancy, complicated by, incompetent cervix **Shock** R57.9 with ectopic or molar pregnancy OØ8.3 adrenal (cortical) (Addisonian) É27.2 adverse food reaction (anaphylactic) — see Shock, anaphylactic, due to food allergic — see Shock, anaphylactic anaphylactic T78.2 🗹 chemical — see Table of Drugs and Chemicals due to drug or medicinal substance correct substance properly administered T88.6 🗹 overdose or wrong substance given or taken (by accident) — see Table of Drugs and Chemicals, by drug, poisoning

dairy products T78.07 🗹 eggs T78.08 🗹 fish T78.03 🗹 shellfish T78.Ø2 🗹 fruit T78.Ø4 🗹 milk T78.07 🗹 nuts T78.05 🗹 peanuts T78.01 🗹 peanuts T78.Ø1 🗹 . seeds T78.05 🔽 specified type NEC T78.09 🗹 vegetable T78.Ø4 🗹 following sting(s) — see Venom immunization T8Ø.52 serum T8Ø.59 🗹 blood and blood products T8Ø.51 🗹 immunization T80.52 🗹 specified NEC T80.59 🗹 vaccination T8Ø.52 🗹 anaphylactoid — see Shock, anaphylactic correct substance properly administered T88.2 overdose or wrong substance given or taken — see Table of Drugs and Chemicals, by drug, specified anesthetic — see Table of Drugs and Chemicals, by drug, poisoning chemical substance — see Table of Drugs and Chemicomplicating ectopic or molar pregnancy OØ8.3 culture — see Disorder, adjustment due to correct substance properly administered overdose or wrong substance given or taken (by accident) - see Table of Drugs and Chemicals, by drug, poisoning during or after labor and delivery 075.1 postprocedural (during or resulting from a procedure, not elsewhere classified) T81.12 ectopic or molar pregnancy OØ8.3 injury (immediate) (delayed) T79.4 🗹 labor and delivery 075.1 food (anaphylactic) — see Shock, anaphylactic, due from electroshock gun (taser) T75.4 gram-negative R65.21 postprocedural (during or resulting from a procedure, not elsewhere classified) T81.12 ☑ surgery (intraoperative) (postoperative) T81.19 trauma T79.4 🗹 surgical T81.19 🗹 traumatic T79.4 🗹 therapeutic misadventure — see subcategory traumatic (following crushing) T79.5 🗹 lightning T75.01 🗹 with ectopic or molar pregnancy OØ8.3 following ectopic or molar pregnancy OØ8.3

Index

**Shock** — continued

anesthetic

poisoning

T88.6 🗹

cardiogenic R57.Ø

cals

electric T75.4 🗹

endotoxic R65.21

following

(taser) T75.4 🔽

to food

hematologic R57.8

hypovolemic R57.1

. T38.3 🔽

pleural (surgical) T81.19 🗹

due to trauma T79.4 🗹

cardiogenic T81.11

gram-negative T81.12 🗹

specified type NEC T81.19 ☑

hypovolemic T81.19 🗹

séptic T81.12 🗹

endotoxic T81.12 🗹

postprocedural (postoperative) T81.10 🗹

with ectopic or molar pregnancy OØ8.3

following ectopic or molar pregnancy OØ8.3

hemorrhagic

insulin E15

kidney N17.Ø

lung J8Ø obstetric 075.1

drug

anaphylactic — continued

additives T78.06 🗹

due to food (nonpoisonous) T78.00 🗹

#### **.**t/ ftho N Su \_

	G/2.4	4–G8	33.12	Chapter 6. Diseases of the Nervous System							ICD-10	0-CM 2017
Diseases of the Nervous System		√5 <sup>th</sup>	G72.4	classifie	natory and immune my d Inclusion body myosi	•	here			G81.Ø4	Flaccid hemiplegia affecting left nondominant side RIC Excl: 01 Stroke	cc
ous S				G72.49	Other inflammatory a elsewhere classified Inflammatory myop		hies, not	√5 <sup>th</sup>	G81.1		hemiplegia Spastic hemiplegia affecting unspecified s RIC Excl: 01 Stroke	<mark>ide</mark> ▼
Nerv		√ <sup>5th</sup>	G72.8		pecified myopathies Critical illness myopa	thy				G81.11	Spastic hemiplegia affecting right dominant side RIC Excl: 01 Stroke	cc
of the					Acute necrotizing m Acute quadriplegic r Intensive care (ICU) ı	nyopathy myopathy				G81.12	Spastic hemiplegia affecting <mark>left</mark> dominant side	cc
ases c			672.9		Myopathy of critical Other specified myop hy, unspecified		▽			G81.13	RIC Excl: 01 Stroke Spastic hemiplegia affecting right nondominant side	cc
Dise	√4 <sup>th</sup>	G73	Disord		yoneural junction an	nd muscle in disease	25			G81.14	RIC Excl: 01 Stroke Spastic hemiplegia affecting left nondominant side	cc
9			G73.1		t-Eaton syndrome in ne	•					RIC Excl: 01 Stroke	
E					irst underlying neoplasm			<b>√</b> ∂"	G81.9		egia, unspecified 2014, 1Q, 23	
Chapter 6.			G73.3		ES 1 Lambert-Eaton sync neoplasm (G7 Enic syndromes in other	7Ø.8Ø-G7Ø.81)					Hemiplegia, unspecified affecting unspeci side	<mark>fied</mark> ▼
				neo	irst underlying disease, su plasm (CØØ-D49) rotoxicosis (EØ5)	ıch as:				G81.91	RIC Excl: 01 Stroke Hemiplegia, unspecified affecting right dominant side	cc 🗸
			G73.7	Code f	<b>hy in diseases classified</b> ïrst underlying disease, su erparathyroidism (E21.Ø,	ıch as:				G81.92	RIC Excl: 01 Stroke Hemiplegia, unspecified affecting left dominant side RIC Excl: 01 Stroke	CC 🗸
				glyc lipid	oparathyroidism (E2Ø) ogen storage disease (E7 l storage disorders (E75)					G81.93	Hemiplegia, unspecified affecting right nondominant side RIC Excl: 01 Stroke	cc 🗸
				EXCLUD	ES1 myopathy in: rheumatoid arthi sarcoidosis (D86.8	87)				G81.94	Hemiplegia, unspecified affecting left nondominant side RIC Excl: 01 Stroke	CC 🗸
		Cer	rebral	palsy a	scleroderma (M3- sicca syndrome [S systemic lupus er; <b>nd other paralytic</b>	ijögren] (M35.Ø3) ythematosus (M32.19)	G83)	<mark>√4</mark> <sup>™</sup> G82	Parap No	Thi are old	araparesis) and quadriplegia (quadripare is category is to be used only when the listed co reported without further specification, or are so to rongstanding but of unspecified cause. The o for use in multiple coding to identify these co	onditions tated to be category is
	√4 <sup>th</sup>	<b>58Ø</b>	Cereb	ral palsy	,						ulting from any cause	nuitions
					editary spastic paraplegi	a (G11.4)			EXCL	UDES 1 COR	ngenital cerebral palsy (G8Ø)	
				Conge	<b>quadriplegic cerebral</b> enital spastic paralysis (c	erebral)		√ 5 <sup>th</sup>	602.2		nctional quadriplegia (R53.2) sterical paralysis (F44.4)	
				Spasti	diplegic cerebral palsy c cerebral palsy NOS hemiplegic cerebral pa				992.2	Paraly Parap	sis of both lower limbs NOS aresis (lower) NOS	
					d cerebral palsy					•	legia (lower) NOS Paraplegia, unspecified	V
				Dyskir Dysto	e athetosis (syndrome) netic cerebral palsy nic cerebral palsy disease					G82.21 G82.22	Paraplegia, complete Paraplegia, incomplete	•
			G8Ø.4	3	erebral palsy			√ 5 <sup>m</sup>	G82.5	Quadrip	-	▽
			G8Ø.8	Other ce	erebral palsy						Quadriplegia, unspecified Quadriplegia, C1-C4 complete	•
					cerebral palsy syndrom	es					Quadriplegia, C1-C4 incomplete	
				Cereb	I palsy, unspecified ral palsy NOS		▼				Quadriplegia, C5-C7 complete Quadriplegia, C5-C7 incomplete	
	<mark>√4<sup>th</sup></mark> (	G81 Hemiplegia and hemiparesis This category is to be used only when hemiplegia (complete)(incomplete) is reported without further specification, or is stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these types of hemiplegia resulting from any cause.					G83 Other paralytic syndromes NOTE This category is to be used only when the listed con are reported without further specification, or are sta old or longstanding but of unspecified cause. The ca also for use in multiple coding to identify these con- resulting from any cause.					
			EXCL	IDES 1 cor	ngenital cerebral palsy (G niplegia and hemiparesis	due to sequela of cerel				UDES par Diplegia	ralysis (complete) (incomplete), except as in G8 a <b>of upper limbs</b>	Ø-G82
		√5 <sup>th</sup>		: 2015, 10 Flaccid I	disease (169.05-, 169.15 ), 25 hemiplegia	, 107.237, 107.337, 107.03	, - <i>, C2, 23-)</i>	√5 <sup>th</sup>	G83.1	Paraly	gia (upper) sis of both upper limbs <b>egia of lower limb</b>	
					Flaccid hemiplegia at RIC Excl: 01 Stroke					Paraly	sis of lower limb 1911 monoplegia of lower limbs due to sequela o 1923 cerebrovascular disease (169.04-, 169.1	
12					Flaccid hemiplegia af dominant side RIC Excl: 01 Stroke		CC			G83.1Ø	169.34-, 169.84-, 169.94-) Monoplegia of lower limb affecting unspe	
-G83.				G81.Ø2	Flaccid hemiplegia af dominant side RIC Excl: 01 Stroke	fecting left	CC			G83.11	side Monoplegia of lower limb affecting right dominant side	
G72.4-G83.12				G81.Ø3	Flaccid hemiplegia af nondominant side RIC Excl: 01 Stroke	fecting right	cc			G83.12	Monoplegia of lower limb affecting left dominant side	

Newborn 538

Pediatric

Maternity

🔼 Adult

► < Revised Text New Code

▲ Revised Code Title ICD-10-CM 2017  $\sqrt{4^{th}}$ 

 $\sqrt{4^{th}}$ 

### Chapter 10. Diseases of the Respiratory System

10-C	M 2017	,	Chapter 10. Diseases	of the Res	piratory	y System	J11–J16.8
	J11.Ø	Influen: Code	to unidentified influenza virus za due to unidentified influenza virus with pneumonia also associated lung abscess, if applicable (J85.1)		Bror Code	monia due to Streptoc <mark>occus pneumoniae</mark> nchopneumonia due to S. pneumoniae le first associated influenza, if applicable (JØ9.X1, J10.0	cc )-, J11.Ø-)
		<sup>8</sup> J11.ØØ <sup>8</sup> J11.Ø8	Influenza due to unidentified influenza virus with unspecified type of pneumonia Influenza with pneumonia NOS RIC Excl: 15 Pulmonary Influenza due to unidentified influenza virus		EXCL	<ul> <li>le also associated lung abscess, if applicable (J85.1)</li> <li>congenital pneumonia due to S. pneumoniae (P. lobar pneumonia, unspecified organism (J18.1) pneumonia due to other streptococci (J15.3-J15.</li> <li>A: 2013, 4Q, 118</li> <li>Excl: 15 Pulmonary</li> </ul>	
			with specified pneumonia Code also other specified type of pneumonia RIC Excl: 15 Pulmonary za due to unidentified influenza virus with other	<sup>2,8</sup> J14	Pneur Bror	monia due to Hemophilus influenzae nchopneumonia due to H. influenzae le first associated influenza, if applicable (JØ9.X1, J10.6	cc Ø-, J11.Ø-)
	,,,,,	respirat Influe Influe Influe	ory manifestations nza NOS nzal laryngitis NOS nzal pharyngitis NOS nza with upper respiratory symptoms NOS		AHA RIC	le also associated lung abscess, if applicable (J85.1) DEST congenital pneumonia due to H. influenzae (P23 A: 2013, 4Q, 118 Excl: 15 Pulmonary	.6)
		Use ad	dditional code for associated pleural effusion, if applicable 191.8) dditional code for associated sinusitis, if applicable (JØ1)	<b>⊻</b> 4ª J15	Bror	erial pneumonia, not elsewhere classified nchopneumonia due to bacteria other than S. pneum H. influenzae	
	J11.2	Influen: gastroii Influe	tactional code to associated sindsits, in applicable (bit.) raa due to unidentified influenza virus with ntestinal manifestations nza gastroenteritis NOS Intestinal flu' [viral gastroenteritis] (AØ8)		Code	le first associated influenza, if applicable (JØ9.X1, J10.6 le also associated lung abscess, if applicable (J85.1) UDEST chlamydial pneumonia (J16.0) congenital pneumonia (P23) Legionnaires' disease (A48.1)	I-, J11.0-)
√5 <sup>th</sup>	J11.8	Influen	za due to unidentified influenza virus with other		A LI A	spirochetal pneumonia (A69.8) A: 2013, 40, 118	
		manifes J11.81	Influenza due to unidentified influenza virus with encephalopathy		<sup>2,8</sup> J15.Ø	Pneumonia due to Klebsiella pneumoniae RIC Excl: 15 Pulmonary	cc
		J11.82	Influenzal encephalopathy NOS Influenza due to unidentified influenza virus with myocarditis		J15.2	Pneumonia due to Pseudomonas RIC Excl: 15 Pulmonary Pneumonia due to staphylococcus	cc
		J11.83	Influenzal myocarditis NOS Influenza due to unidentified influenza virus with otitis media		2,8	<sup>8</sup> J15.20 Pneumonia due to staphylococcus, unspecified RIC Excl: 15 Pulmonary	CC 🗸
		111 00	Influenzal otitis media NOS Use additional code for any associated perforated tympanic membrane (H72)		<b>√6</b> <sup>th</sup>	J15.21 Pneumonia due to Staphylococcus aur 2,8 J15.211 Pneumonia due to methicilli susceptible Staphylococcus	n cc
		J11.89	Influenza due to unidentified influenza virus with other manifestations Use additional codes to identify the manifestations			MSSA pneumonia Pneumonia due to Staphyloo NOS	coccus aureus
J12		UDES bro	nia, not elsewhere classified onchopneumonia due to viruses other than influenza viruses			2,8 J15.212 Pneumonia due to methicilli resistant Staphylococcus aur RIC Excl: 15 Pulmonary	n cc reus
	Cod	e also ass	ociated influenza, if applicable (JØ9.X1, J10.0-, J11.0-) ociated abscess, if applicable (J85.1)		2,8	<sup>8</sup> J15.29 Pneumonia due to other staphylococcu RIC Excl: 15 Pulmonary	IS CC
	EXCL		piration pneumonia due to anesthesia during labor and delivery (074.0) piration pneumonia due to anesthesia during pregnancy			Pneumonia due to streptococcus, group B RIC Excl: 15 Pulmonary	CC
		ası	(029) piration pneumonia due to anesthesia during puerperium (089.0)	2	<sup>,8</sup> J15.4	Pneumonia due to other streptococci EXCUDEST pneumonia due to streptococcus, group pneumonia due to Streptococcus pneum	
		asp	piration pneumonia due to solids and liquids (J69) piration pneumonia NOS (J69.Ø) ngenital pneumonia (P23.Ø)	2	<sup>,8</sup> J15.5	RIC Excl: 15 Pulmonary Pneumonia due to Escherichia coli	cc
		coi int	ngenital preamonia (r 25.0) ngenital rubella pneumonitis (P35.0) erstitial pneumonia NOS (J84.9) d pneumonia (J69.1)	2	<sup>,8</sup> J15.6	RIC Excl: 15 Pulmonary Pneumonia due to other aerobic Gram-negative Pneumonia due to Serratia marcescens	bacteria cc
2.0		A: 2013, 40		2	<sup>,8</sup> J15.7	RIC Excl: 15 Pulmonary Pneumonia due to Mycoplasma pneumoniae RIC Excl: 15 Pulmonary	CC
		RIC Ex	iral pneumonia colora c	2	<sup>,8</sup> J15.8	Pneumonia due to other specified bacteria RIC Excl: 15 Pulmonary	CC
		RIC Ex	tory syncytial virus pneumonia cci tcl: 15 Pulmonary uenza virus pneumonia cci	2	<sup>,8</sup> J15.9	Unspecified bacterial pneumonia Pneumonia due to gram-positive bacteria	cc 🗸
		RIC Ex	ccl: 15 Pulmonary metapneumovirus pneumonia	<b>√</b> 4 <sup>™</sup> 116	Pneur	RIC Excl: 15 Pulmonary monia due to other infectious organisms, not e	lsowhere
		RIC E	ccl: 15 Pulmonary		classi	fied	
√ 5 <sup>m</sup>	2,	<sup>8</sup> J12.81	iral pneumonia Pneumonia due to SARS-associated coronavirus Severe acute respiratory syndrome NOS Other viral pneumonia		Code	le first associated influenza, if applicable (JØ9.X1, J10. le also associated lung abscess, if applicable (J85.1) UDEST congenital pneumonia (P23) ornithosis (A7Ø)	-, , , , , , , , , , , , , , , , , , ,
2,8			RIC Excl: 15 Pulmonary eumonia, unspecified		<i>p</i> 11 *	pneumocystosis (B59) pneumonia NOS (J18.9)	
			ccl: 15 Pulmonary	2		A: 2013, 4Q, 118 Chlamydial pneumonia RIC Excl: 15 Pulmonary	CC
ocial	Care Hi	ah = With	fovor	2	<sup>,8</sup> J16.8	Pneumonia due to other specified infectious org RIC Excl: 15 Pulmonary	ganisms cc

ICD-10-CM 2017

627

J11-J16.8

<sup>2</sup> Sp <sup>8</sup> Clinically Complex = Without fever

### Chapter 14. Diseases of the Genitourinary System

N14-N23 CC NC Dx N17.2 Acute kidney failure with medullary necrosis Chapter 14. Diseases of the Genitourinary System Medullary [papillary] necrosis NOS Acute medullary [papillary] necrosis Renal medullary [papillary] necrosis N17.8 Other acute kidney failure CC NC Dx N17.9 Acute kidney failure, unspecified CC NC Dx 🗸 Acute kidney injury (nontraumatic) EXCLUDES 2 traumatic kidney injury (S37.Ø-) M18 Chronic kidney disease (CKD) Code first any associated: diabetic chronic kidney disease (EØ8.22, EØ9.22, E1Ø.22, E11.22, E13.22) hypertensive chronic kidney disease (I12-, I13-) Use additional code to identify kidney transplant status, if applicable, (794.0)AHA: 2013, 1Q, 24 N18.1 Chronic kidney disease, stage 1 N18.2 Chronic kidney disease, stage 2 (mild) N18.3 Chronic kidney disease, stage 3 (moderate) N18.4 Chronic kidney disease, stage 4 (severe) N18.5 Chronic kidney disease, stage 5 NC Dx **EXCLUDES 1** chronic kidney disease, stage 5 requiring chronic dialysis (N18.6) N18.6 End stage renal disease NC Dx Chronic kidney disease requiring chronic dialysis Use additional code to identify dialysis status (Z99.2) AHA: 2013, 4Q, 124-125 NC Dx 🔽 N18.9 Chronic kidney disease, unspecified Chronic renal disease Chronic renal failure NOS Chronic renal insufficiency Chronic uremia <sup>10</sup> N19 Unspecified kidney failure  $\nabla$ Uremia NOS EXCLUDES 1 acute kidney failure (N17.-) chronic kidney disease (N18.-) chronic uremia (N18.9) extrarenal uremia (R39.2) prerenal uremia (R39.2) renal insufficiency (acute) (N28.9) uremia of newborn (P96.Ø) Urolithiasis (N2Ø-N23) Mail N2Ø Calculus of kidney and ureter Calculous pyelonephritis **EXCLUDES 1** nephrocalcinosis (E83.5) that with hydronephrosis (N13.2) N2Ø.Ø Calculus of kidney Nephrolithiasis NOS Renal calculus Renal stone Staghorn calculus Stone in kidney N2Ø.1 Calculus of ureter Ureteric stone N2Ø.2 Calculus of kidney with calculus of ureter  $\mathbf{\nabla}$ N20.9 Urinary calculus, unspecified Main N21 Calculus of lower urinary tract Calculus of lower urinary tract with cystitis and urethritis N21.Ø Calculus in bladder Calculus in diverticulum of bladder Urinary bladder stone **EXCLUDES 2** staghorn calculus (N2Ø.Ø) N21.1 Calculus in urethra **EXCLUDES 2** calculus of prostate (N42.Ø) N21.8 Other lower urinary tract calculus N21.9 Calculus of lower urinary tract, unspecified  $\nabla$ **EXCLUDES 1** calculus of urinary tract NOS (N2Ø.9) N22 Calculus of urinary tract in diseases classified elsewhere Code first underlying disease, such as: gout (M1A.-, M1Ø.-) schistosomiasis (B65.Ø-B65.9) Δ N23 Unspecified renal colic N14-N23

🏧 N14 Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) Use additional code for adverse effect, if applicable, to identify drug (T36-T5Ø with fifth or sixth character 5) N14.Ø Analgesic nephropathy N14.1 Nephropathy induced by other drugs, medicaments and biological substances  $\nabla$ N14.2 Nephropathy induced by unspecified drug, medicament or biological substance N14.3 Nephropathy induced by heavy metals N14.4 Toxic nephropathy, not elsewhere classified M15 Other renal tubulo-interstitial diseases N15.Ø Balkan nephropathy Balkan endemic nephropathy N15.1 Renal and perinephric abscess CC N15.8 Other specified renal tubulo-interstitial diseases N15.9 Renal tubulo-interstitial disease, unspecified  $\nabla$ Infection of kidney NOS **EXCLUDES 1** urinary tract infection NOS (N39.Ø) N16 Renal tubulo-interstitial disorders in diseases classified elsewhere Pyelonephritis Tubulo-interstitial nephritis Code first underlying disease, such as: brucellosis (A23.Ø-A23.9) cryoglobulinemia (D89.1) glycogen storage disease (E74.Ø) leukemia (C91-C95) lymphoma (C81.Ø-C85.9, C96.Ø-C96.9) multiple myeloma (C90.0-) sepsis (A4ǿ.Ø-A41.9) Wilson's disease (E83.Ø) **EXCLUDES 1** diphtheritic pyelonephritis and tubulo-interstitial nephritis (A36.84) pyelonephritis and tubulo-interstitial nephritis in candidiasis (B37.49) pyelonephritis and tubulo-interstitial nephritis in cystinosis (E72.Ø4) pyelonephritis and tubulo-interstitial nephritis in salmonella infection (AØ2.25) pyelonephritis and tubulo-interstitial nephritis in sarcoidosis (D86.84) pyelonephritis and tubulo-interstitial nephritis in sicca syndrome [Sjogren's] (M35.Ø4) pyelonephritis and tubulo-interstitial nephritis in systemic lupus erythematosus (M32.15) pyelonephritis and tubulo-interstitial nephritis in toxoplasmosis (B58.83) renal tubular degeneration in diabetes (EØ8-E13 with .29) syphilitic pyelonephritis and tubulo-interstitial nephritis (A52.75) Acute kidney failure and chronic kidney disease (N17-N19) EXCLUDES 2 congenital renal failure (P96.Ø) drug- and heavy-metal-induced tubulo-interstitial and tubular conditions (N14.-) extrarenal uremia (R39.2) hemolytic-uremic syndrome (D59.3) hepatorenal syndrome (K76.7) postpartum hepatorenal syndrome (09Ø.4) posttraumatic renal failure (T79.5) prerenal uremia (R39.2) renal failure complicating abortion or ectopic or molar pregnancy (000-007, 008.4) renal failure following labor and delivery (090.4) renal failure postprocedural (N99.Ø) M17 Acute kidney failure Code also associated underlying condition **EXCLUDES 1** posttraumatic renal failure (T79.5) AHA: 2013, 4Q, 124 N17.Ø Acute kidney failure with tubular necrosis CC NC Dx Acute tubular necrosis Renal tubular necrosis Tubular necrosis NOS N17.1 Acute kidney failure with acute cortical necrosis CC NC Dx Acute cortical necrosis Cortical necrosis NOS Renal cortical necrosis

<sup>10</sup> Hospice questionable admission diagnosis

## Chapter 19. Injury, Poisoning and Certain Other Consequences of External Causes

S52.62–S53.133 Chapter 19. Injury, Poisoning and Certai						in Other Consequences of	External O	Causes ICD-10-CM 2017
	√6 <sup>th</sup>	S52.62	Torus fra	cture of lower end of ulna		√7 <sup>th</sup>	\$53.022	Posterior subluxation of left radial head
				propriate 7th character is to be added to all		√7 <sup>th</sup>	\$53.Ø23	Posterior subluxation of unspecified $\nabla$ radial head
				in subcategory S52.62. nitial encounter for closed fracture		√7 <sup>th</sup>	\$53.024	Posterior dislocation of right radial head
			D s	subsequent encounter for fracture with				Posterior dislocation of left radial head
			G s	routine healing subsequent encounter for fracture with		√7 <sup>th</sup>	\$53.026	Posterior dislocation of unspecified $\nabla$ radial head
				delayed healing subsequent encounter for fracture with		<b>√6</b> <sup>™</sup> S53.Ø3		
			r	nonunion				Nursemaid's elbow, right elbow
				subsequent encounter for fracture with malunion				Nursemaid's elbow, left elbow Nursemaid's elbow, unspecified elbow $\nabla$
				sequela		<b>√6</b> <sup>th</sup> S53.Ø9		pluxation and dislocation of radial head
		$\sqrt{7}^{\text{th}}$	S52.621	Torus fracture of lower end of right ulna	a	√7 <sup>th</sup>		Other subluxation of right radial head
		<b>√7</b> <sup>th</sup>		Torus fracture of lower end of left ulna	_	√7 <sup>th</sup>		Other subluxation of left radial head
	(0))	√7 <sup>th</sup>		Torus fracture of lower end of unspecified ulna	V	<b>√7</b> th		Other subluxation of unspecified radial $ abla$ head
	<b>√</b> b <sup>™</sup>			cture of lower end of ulna Other fracture of lower end of right ulna		√7 <sup>th</sup>		Other dislocation of right radial head
				Other fracture of lower end of left ulna	a			Other dislocation of left radial head Other dislocation of unspecified radial V
				Other fracture of lower end of	$\mathbf{\nabla}$		333.070	head
				unspecified ulna				lislocation of ulnohumeral joint
√5 <sup>th</sup>		-		ure of forearm	⊽			dislocation of elbow NOS ation of radial head alone (S53.Ø-)
				ied fracture of unspecified forearm ied fracture of right forearm	v ∇		Unspecifi	ied subluxation and dislocation of
	√x 7 <sup>th</sup>	\$52.92	Unspecif	ied fracture of left forearm	▼	√7 <sup>th</sup>		eral joint Unspecified subluxation of right $\nabla$
Ma 553		UDES avu	ulsion of joi	of joints and ligaments of elbow int or ligament of elbow cartilage, joint or ligament of elbow		<b>√7</b> <sup>th</sup>	\$53.102	ulnohumeral joint Unspecified subluxation of left ulnohumeral joint
		spr tra	ain of carti umatic hen	lage, joint or ligament of elbow narthrosis of joint or ligament of elbow		<b>√7</b> th	\$53.103	Unspecified subluxation of unspecified $\nabla$ ulnohumeral joint
		tra	umatic sub	ture of joint or ligament of elbow ·luxation of joint or ligament of elbow r of joint or ligament of elbow		<b>√7</b> <sup>th</sup>	\$53.104	Unspecified dislocation of right ulnohumeral joint
		e also any	associated	l open wound le, fascia and tendon at forearm level (S56)		<b>√7</b> th	\$53.105	Unspecified dislocation of left $\nabla$ ulnohumeral joint
				aracter is to be added to each code from		<b>√7</b> <sup>th</sup>	\$53.106	Unspecified dislocation of unspecified $\nabla$
	cat	egory S53	ry \$53.			<b>553.11</b>	Anterior	ulnohumeral joint subluxation and dislocation of ulnohumeral
	A initial encounter D subsequent encounter					joint		
. (5th	5	sequel	a	lislocation of radial head		<b>√7</b> <sup>th</sup>	\$53.111	Anterior subluxation of right ulnohumeral joint
_	555.0	Disloc	ation of rad	diohumeral joint				Anterior subluxation of left ulnohumeral joint
	√6 <sup>th</sup>			eggia's fracture-dislocation (S52.27-) ied subluxation and dislocation of radial				Anterior subluxation of unspecified V ulnohumeral joint
			head S53.ØØ1		V	√7 <sup>th</sup>	\$53.114	Anterior dislocation of right ulnohumeral joint AHA: 2012, 4Q, 108
		$\sqrt{7}^{\text{th}}$	\$53.002	head Unspecified subluxation of left radial	$\mathbf{\nabla}$	$\sqrt{7}$ <sup>th</sup>	\$53.115	Anterior dislocation of left ulnohumeral joint
		$\sqrt{7^{th}}$	\$53.003		▼	√7 <sup>th</sup>	\$53.116	Anterior dislocation of unspecified ulnohumeral joint
		$\sqrt{7}^{\text{th}}$	S53.ØØ4	radial head Unspecified dislocation of right radial head	▼	<mark>√6<sup>™</sup></mark> \$53.12		subluxation and dislocation of eral joint
		$\sqrt{7}$ <sup>th</sup>	\$53.005	Unspecified dislocation of left radial head	▼			Posterior subluxation of right ulnohumeral joint
		$\sqrt{7}^{\text{th}}$	\$53.006	Unspecified dislocation of unspecified radial head	▼			Posterior subluxation of left ulnohumeral joint
	√6 <sup>th</sup>	\$53.Ø1		subluxation and dislocation of radial hea medial subluxation and dislocation of radial		√7th		Posterior subluxation of unspecified ulnohumeral joint
		$\sqrt{7^{\text{th}}}$		ad Anterior subluxation of right radial hea	d	√ 7 <sup>th</sup>		Posterior dislocation of right ulnohumeral joint
				Anterior subluxation of left radial head Anterior subluxation of unspecified	⊽	√7 <sup>th</sup>		Posterior dislocation of left ulnohumeral joint Posterior dislocation of unspecified $\nabla$
		√7 <sup>th</sup>		radial head Anterior dislocation of right radial head				ulnohumeral joint
		$\sqrt{7}^{\text{th}}$	S53.Ø15	Anterior dislocation of left radial head			joint	
		√7 <sup>th</sup>	\$53.016	Anterior dislocation of unspecified radial head	V			Medial subluxation of right ulnohumeral joint
	√6 <sup>th</sup>	\$53.Ø2	Posteri	r subluxation and dislocation of radial here olateral subluxation and dislocation of radial				Medial subluxation of left ulnohumeral joint
		$\sqrt{7}$ <sup>th</sup>		ad Posterior subluxation of right radial hea	ad		323.133	Medial subluxation of unspecified $\nabla$ ulnohumeral joint

S52.62-S53.133

RIC RIC Dx

🔼 Adult

▲ Revised Code Title ICD-10-CM 2017